

Jacob Holtz Company

10 Industrial Hwy, MS-6
 Airport Business, Complex "B"
 Lester, PA 19029 US

Phone: 215-423-2800 • **Fax:** 215-634-7454

Email: info@jacobholtz.com • **Website:** www.jacobholtz.com

X-Caster™ Series 2" | Composite plastic casters, small caster**Low profile casters, small casters, small caster wheels, low profile caster, dual wheel casters, medical casters, heavy duty chair casters | 150lb load capacity**

Patented technology, uniquely engineered to deliver load capacity not previously available from a molded composite plastic caster

- Patented Design Delivers Superior Strength & Durability
- Market Proven Technology - Over 20 Million in Use
- Strongest Composite Caster on the Market - 80-150 lb Load Capacity per Caster
- Versatile Series - Connections for Every Application & Wheels for Every Floor Type
- Engineered for Easy Rolling
- COSTS LESS than Traditional Single Wheel Casters

Manufactured in accordance with Jacob Holtz Specification Test Standards:

- Dynamic Test - Caster loaded to 150 lbs, run over 1/8" obstacle for 500 crossings. Remove obstacle and run 9.500 additional strokes
- Static Load tested at four times the load rating
- Impact Test - Drop 2" with rated load (150 lbs x 2" = 300 inch lbs)

The X Caster®,

Low profile casters, small casters, small caster wheels, low profile caster, dual wheel casters, medical casters, heavy duty chair casters, low profile caster wheels, black casters, double wheel casters, heavy duty office chair casters, small caster, dual wheel caster, office chair casters heavy duty, small castors, small plastic casters, small polyurethane wheels



Results 1 - 100 of 104

Item #	Wheel Diameter	Wheel Width	Top Fitting	Wheel Type
205-2XPP-00	2 in	3/4 in	Top Plate 1-1/2" x 1-1/2"	Polypropylene - Dual Wheel
205-2XPP-00-WB	2 in	3/4 in	Top Plate 1-1/2" x 1-1/2"	Polypropylene - Dual Wheel

205-2XHRUB-00	2 in	3/4 in	Top Plate 1-1/2" x 1-1/2"	Hard Rubber - Dual Wheel
205-2XHRUB-00-WB	2 in	3/4 in	Top Plate 1-1/2" x 1-1/2"	Hard Rubber - Dual Wheel
205-2XTPR-00	2 in	3/4 in	Top Plate 1-1/2" x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-00-WB	2 in	3/4 in	Top Plate 1-1/2" x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XPU-00	2 in	3/4 in	Top Plate 1-1/2" x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-00-WB	2 in	3/4 in	Top Plate 1-1/2" x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-04	2 in	3/4 in	Top Plate 1-1/4" X 2"	Polypropylene - Dual Wheel
205-2XPP-04-WB	2 in	3/4 in	Top Plate 1-1/4" X 2"	Polypropylene - Dual Wheel
205-2XHRUB-04	2 in	3/4 in	Top Plate 1-1/4" X 2"	Hard Rubber - Dual Wheel
205-2XHRUB-04-WB	2 in	3/4 in	Top Plate 1-1/4" X 2"	Hard Rubber - Dual Wheel
205-2XTPR-04	2 in	3/4 in	Top Plate 1-1/4" X 2"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-04-WB	2 in	3/4 in	Top Plate 1-1/4" X 2"	Thermoplastic Rubber - Dual Wheel
205-2XPU-04	2 in	3/4 in	Top Plate 1-1/4" X 2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-04-WB	2 in	3/4 in	Top Plate 1-1/4" X 2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-05	2 in	3/4 in	Top Plate 1-3/4" x 3"	Polypropylene - Dual Wheel
205-2XPP-05-WB	2 in	3/4 in	Top Plate 1-3/4" x 3"	Polypropylene - Dual Wheel
205-2XHRUB-05	2 in	3/4 in	Top Plate 1-3/4" x 3"	Hard Rubber - Dual Wheel
205-2XHRUB-05-WB	2 in	3/4 in	Top Plate 1-3/4" x 3"	Hard Rubber - Dual Wheel
205-2XTPR-05	2 in	3/4 in	Top Plate 1-3/4" x 3"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-05-WB	2 in	3/4 in	Top Plate 1-3/4" x 3"	Thermoplastic Rubber - Dual Wheel
205-2XPU-05	2 in	3/4 in	Top Plate 1-3/4" x 3"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-05-WB	2 in	3/4 in	Top Plate 1-3/4" x 3"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-06	2 in	3/4 in	TOP PLATE 2-3/4" x 3-3/4"	Polypropylene - Dual Wheel
205-2XPP-06-WB	2 in	3/4 in	TOP PLATE 2-3/4" x 3-3/4"	Polypropylene - Dual Wheel
205-2XHRUB-06	2 in	3/4 in	TOP PLATE 2-3/4" x 3-3/4"	Hard Rubber - Dual Wheel
205-2XHRUB-06-WB	2 in	3/4 in	TOP PLATE 2-3/4" x 3-3/4"	Hard Rubber - Dual Wheel
205-2XTPR-06	2 in	3/4 in	TOP PLATE 2-3/4" x 3-3/4"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-06-WB	2 in	3/4 in	TOP PLATE 2-3/4" x 3-3/4"	Thermoplastic Rubber - Dual Wheel
205-2XPU-06	2 in	3/4 in	TOP PLATE 2-3/4" x 3-3/4"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-06-WB	2 in	3/4 in	TOP PLATE 2-3/4" x 3-3/4"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-22	2 in	3/4 in	Thread Stem 5/16"-18 x 1"	Polypropylene - Dual Wheel
205-2XPP-22-WB	2 in	3/4 in	Thread Stem 5/16"-18 x 1"	Polypropylene - Dual Wheel
205-2XHRUB-22	2 in	3/4 in	Thread Stem 5/16"-18 x 1"	Hard Rubber - Dual Wheel
205-2XHRUB-22-WB	2 in	3/4 in	Thread Stem 5/16"-18 x 1"	Hard Rubber - Dual Wheel

205-2XTPR-22	2 in	3/4 in	Thread Stem 5/16"-18 x 1"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-22-WB	2 in	3/4 in	Thread Stem 5/16"-18 x 1"	Thermoplastic Rubber - Dual Wheel
205-2XPU-22	2 in	3/4 in	Thread Stem 5/16"-18 x 1"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-22-WB	2 in	3/4 in	Thread Stem 5/16"-18 x 1"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-24	2 in	3/4 in	Thread Stem 5/16"-18 x 1-1/2"	Polypropylene - Dual Wheel
205-2XPP-24-WB	2 in	3/4 in	Thread Stem 5/16"-18 x 1-1/2"	Polypropylene - Dual Wheel
205-2XHRUB-24	2 in	3/4 in	Thread Stem 5/16"-18 x 1-1/2"	Hard Rubber - Dual Wheel
205-2XHRUB-24-WB	2 in	3/4 in	Thread Stem 5/16"-18 x 1-1/2"	Hard Rubber - Dual Wheel
205-2XTPR-24	2 in	3/4 in	Thread Stem 5/16"-18 x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-24-WB	2 in	3/4 in	Thread Stem 5/16"-18 x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XPU-24	2 in	3/4 in	Thread Stem 5/16"-18 x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-24-WB	2 in	3/4 in	Thread Stem 5/16"-18 x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-27	2 in	3/4 in	Thread Stem 3/8"-16 x 1"	Polypropylene - Dual Wheel
205-2XPP-27-WB	2 in	3/4 in	Thread Stem 3/8"-16 x 1"	Polypropylene - Dual Wheel
205-2XHRUB-27	2 in	3/4 in	Thread Stem 3/8"-16 x 1"	Hard Rubber - Dual Wheel
205-2XHRUB-27-WB	2 in	3/4 in	Thread Stem 3/8"-16 x 1"	Hard Rubber - Dual Wheel
205-2XTPR-27	2 in	3/4 in	Thread Stem 3/8"-16 x 1"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-27-WB	2 in	3/4 in	Thread Stem 3/8"-16 x 1"	Thermoplastic Rubber - Dual Wheel
205-2XPU-27	2 in	3/4 in	Thread Stem 3/8"-16 x 1"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-27-WB	2 in	3/4 in	Thread Stem 3/8"-16 x 1"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-29	2 in	3/4 in	Thread Stem 3/8"-16 x 1-1/2"	Polypropylene - Dual Wheel
205-2XPP-29-WB	2 in	3/4 in	Thread Stem 3/8"-16 x 1-1/2"	Polypropylene - Dual Wheel
205-2XHRUB-29	2 in	3/4 in	Thread Stem 3/8"-16 x 1-1/2"	Hard Rubber - Dual Wheel
205-2XHRUB-29-WB	2 in	3/4 in	Thread Stem 3/8"-16 x 1-1/2"	Hard Rubber - Dual Wheel
205-2XTPR-29	2 in	3/4 in	Thread Stem 3/8"-16 x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-29-WB	2 in	3/4 in	Thread Stem 3/8"-16 x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XPU-29	2 in	3/4 in	Thread Stem 3/8"-16 x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-29-WB	2 in	3/4 in	Thread Stem 3/8"-16 x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-40	2 in	3/4 in	Steel Wire Grip Ring 7/16" x 7/8"	Polypropylene - Dual Wheel
205-2XPP-40-WB	2 in	3/4 in	Steel Wire Grip Ring 7/16" x 7/8"	Polypropylene - Dual Wheel
205-2XHRUB-40	2 in	3/4 in	Steel Wire Grip Ring 7/16" x 7/8"	Hard Rubber - Dual Wheel
205-2XHRUB-40-WB	2 in	3/4 in	Steel Wire Grip Ring 7/16" x 7/8"	Hard Rubber - Dual Wheel
205-2XTPR-40	2 in	3/4 in	Steel Wire Grip Ring 7/16" x 7/8"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-40-WB	2 in	3/4 in	Steel Wire Grip Ring 7/16" x 7/8"	Thermoplastic Rubber - Dual Wheel
205-2XPU-40	2 in	3/4 in	Steel Wire Grip Ring 7/16" x 7/8"	Polyurethane on Polypropylene - Dual Wheel

205-2XPU-40-WB	2 in	3/4 in	Steel Wire Grip Ring 7/16" x 7/8"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-10	2 in	3/4 in	Socket Stem 5/16" x 1-1/2"	Polypropylene - Dual Wheel
205-2XPP-10-WB	2 in	3/4 in	Socket Stem 5/16" x 1-1/2"	Polypropylene - Dual Wheel
205-2XHRUB-10	2 in	3/4 in	Socket Stem 5/16" x 1-1/2"	Hard Rubber - Dual Wheel
205-2XHRUB-10-WB	2 in	3/4 in	Socket Stem 5/16" x 1-1/2"	Hard Rubber - Dual Wheel
205-2XTPR-10	2 in	3/4 in	Socket Stem 5/16" x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-10-WB	2 in	3/4 in	Socket Stem 5/16" x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XPU-10	2 in	3/4 in	Socket Stem 5/16" x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-10-WB	2 in	3/4 in	Socket Stem 5/16" x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-41	2 in	3/4 in	Brass Band Grip Ring 7/16" x 7/8"	Polypropylene - Dual Wheel
205-2XPP-41-WB	2 in	3/4 in	Brass Band Grip Ring 7/16" x 7/8"	Polypropylene - Dual Wheel
205-2XHRUB-41	2 in	3/4 in	Brass Band Grip Ring 7/16" x 7/8"	Hard Rubber - Dual Wheel
205-2XHRUB-41-WB	2 in	3/4 in	Brass Band Grip Ring 7/16" x 7/8"	Hard Rubber - Dual Wheel
205-2XTPR-41	2 in	3/4 in	Brass Band Grip Ring 7/16" x 7/8"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-41-WB	2 in	3/4 in	Brass Band Grip Ring 7/16" x 7/8"	Thermoplastic Rubber - Dual Wheel
205-2XPU-41	2 in	3/4 in	Brass Band Grip Ring 7/16" x 7/8"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-41-WB	2 in	3/4 in	Brass Band Grip Ring 7/16" x 7/8"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-61	2 in	3/4 in	Brass Band Grip Ring 7/16" x 1-1/2"	Polypropylene - Dual Wheel
205-2XPP-61-WB	2 in	3/4 in	Brass Band Grip Ring 7/16" x 1-1/2"	Polypropylene - Dual Wheel
205-2XHRUB-41	2 in	3/4 in	Brass Band Grip Ring 7/16" x 1-1/2"	Hard Rubber - Dual Wheel
205-2XHRUB-41-WB	2 in	3/4 in	Brass Band Grip Ring 7/16" x 1-1/2"	Hard Rubber - Dual Wheel
205-2XTPR-61	2 in	3/4 in	Brass Band Grip Ring 7/16" x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XTPR-61-WB	2 in	3/4 in	Brass Band Grip Ring 7/16" x 1-1/2"	Thermoplastic Rubber - Dual Wheel
205-2XPU-41	2 in	3/4 in	Brass Band Grip Ring 7/16" x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPU-41-WB	2 in	3/4 in	Brass Band Grip Ring 7/16" x 1-1/2"	Polyurethane on Polypropylene - Dual Wheel
205-2XPP-51	2 in	3/4 in	Brass Band Grip Ring 3/8" x 1"	Polypropylene - Dual Wheel
205-2XPP-51-WB	2 in	3/4 in	Brass Band Grip Ring 3/8" x 1"	Polypropylene - Dual Wheel
205-2XHRUB-51	2 in	3/4 in	Brass Band Grip Ring 3/8" x 1"	Hard Rubber - Dual Wheel
205-2XHRUB-51-WB	2 in	3/4 in	Brass Band Grip Ring 3/8" x 1"	Hard Rubber - Dual Wheel